



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Week ended February 4, 1905.

Locality.	Indigenous.				Total.	
	Jan. 29-31.		Feb. 1-4.		Cases.	Deaths.
	Cases.	Deaths.	Cases.	Deaths.		
Crater.....	31	28	29	25	60	53
Maalla.....	12	12	10	10	22	22
Hedjuff.....	7	4	6	5	13	9
Tawahi.....	4	4	14	14	18	18
Shaikh Othman.....	58	47	76	74	134	121
Total.....	112	95	135	128	247	223

ADDENDA.

The following is received from the acting chief plague authority, under date of February 4, 1905:

In return of plague cases and deaths for the week ended January 21, 1905: For 3 cases of plague at Tawahi, read 6 cases. The total cases of plague will then be 113 and not 110.

In return of plague cases and deaths for the week ended January 28, 1905: For 57 cases at the Crater, read 59 cases. For 6 deaths at Tawahi, read 7 deaths. Total cases of plague will then be 154 and deaths 128.

NOTE.—The report for the week ended January 21, 1905, was published in Public Health Reports of February 24, 1905, page 317.

AUSTRIA-HUNGARY.

Report from Fiume—Inspection of emigrants.

Acting Consular Agent La Guardia reports, February 10, as follows:

Steamship *Carpathia* sailed February 9 for New York; inspected and passed 1,925 steerage passengers; rejected at final inspection, 34; inspected and labeled 1,400 pieces of small baggage, 50 large, disinfected 28 (used feathers and bedding).

BRAZIL.

Reports from Rio de Janeiro—Inspection of vessels—Mortuary statistics—Plague, smallpox, and yellow fever—Sanitary information from the Argentine Republic—Plague reported in Buenos Ayres.

Acting Assistant Surgeon Stewart reports, January 18 and February 2, as follows:

During the week ended January 15 the following vessels were inspected from this office and bills of health issued for United States ports: On the 10th instant the British steamship *Newton*, for New Orleans, with a cargo of coffee, no passengers of any class, and no change in the crew personnel; on the 11th instant the British steamship *Moorish Prince*, for New York, with a cargo of coffee, no passengers, and 1 new member of the crew signed on at this port, and on the 13th instant the British steamship *Terence*, for New York, with a cargo of coffee, 2 first-class and 2 steerage passengers for the United States,

and with no change in the personnel of the vessel's crew while in this port.

No other vessels left this port for United States or Cuban or Canal Zone ports.

Mortuary reports from the State of Sao Paulo.

Sao Paulo (capital of the State).—Week ended December 19, 1904. Total deaths, 137; natives, 114; foreigners, 22; nationality unknown, 1. Causes of death: Measles, 3; whooping cough, 2; enteric fever, 2; dysentery, 2; pulmonary tuberculosis, 7; abdominal tuberculosis, 1; septicæmia, 1; syphilis, 2; cancer, 2; diseases of nervous system, 9; of the circulatory system, 15; of the respiratory system, 22; of the digestive system, 38; of the urinary system, 1; of the skin, etc., 2; congenital debility, 11; violence, suicide, 5; diseases ill defined, 12.

By ages: Less than 2 years old, 74; 2 to 5 years, 13; 5 to 10 years, 5; 10 to 20 years, 5; 20 to 50 years, 23; more than 50 years, 17.

Week ended January 1, 1905. Total deaths, 113; natives, 88; foreigners, 25. Causes of death: Variola, 1; measles, 4; whooping cough, 3; enteric fever, 1; dysentery, 3; malarial fevers, acute, 2; pulmonary tuberculosis, 9; abdominal tuberculosis, 1; cancers, 2; other general diseases, 1; diseases of the nervous system, 8; of the circulatory system, 12; of the respiratory system, 14; of the digestive system, 26; of the urinary system, 1; accident during puerperal state, 1; congenital debility, 7; violence, except suicide, 2; diseases ill defined, 15.

By ages: Less than 2 years of age, 59; 2 to 5 years, 8; 5 to 10 years, 2; 10 to 20 years, 3; 20 to 50 years, 27; more than 50 years old, 14.

Santos.—Week ended December 25, 1904. Total deaths, 26; natives, 24; foreigners, 2. Causes of death: Variola, 3; enteric fever, 1; malarial fever, acute, 1; tuberculosis, 7; syphilis, 1; anchylostomiasis, 1; diseases of the respiratory system, 1; of the digestive system, 6; congenital debility, 1; violence, except suicide, 2; and causes unknown, 2.

Week ended January 1, 1905. Total deaths, 22; natives, 18; foreigners, 4. Causes of death: Whooping cough, 1; malarial fever, acute, 2; tuberculosis, 4; septicæmia, 1; anchylostomiasis, 1; diseases of the nervous system, 2; of the circulatory system, 2; of the digestive system, 2; of the urinary system, 1; congenital debility, 2; violence, except suicide, 2; and diseases ill defined, 2.

Campinas.—Week ended December 25, 1904. Total deaths, 33; natives, 25; foreigners, 8. Causes of death: Pulmonary tuberculosis, 1; cancer, 1; diseases of nervous system, 2; of the circulatory system, 2; of the respiratory system, 6; of the digestive system, 6; congenital debility, 1; violence, except suicide, 3; and diseases ill defined, 11.

Week ended January 1, 1905. Total deaths, 26; natives, 20; foreigners, 6. Causes of death: Whooping cough, 1; leprosy, 1; pulmonary tuberculosis, 2; diseases of the circulatory system, 2; of the digestive system, 7; of the urinary system, 1; congenital debility, 1; senile debility, 1; violence, except suicide, 2; diseases ill defined, 8.

A dispatch dated the 13th instant from Sao Paulo reports that a case of bubonic plague had occurred at Guaratingueta, state of Sao Paulo. This is a small town on the railroad from Rio to Sao Paulo and the south.